


YEUNG'S

fiberglass


楊氏玻璃纖維 est.1983



You are in safe hands with Yeung's Fiberglass
The GRP Tank Specialists

Water Storage Technology

先進儲水技術



ISO 9001:2008 CERTIFIED
國際品質管理體系標準認可



ISO 9001:2008
Certificate No: Q173
國際品質管理體系標準認可

DSD & WSD Approved Type
此產品已獲香港渠務署
及香港水務署認可

ISO 9001:2008 國際品質管理體系標準認可
香港政府認可公共工程物料專門承造商

客戶服務熱線

8222 8882



Over 30 years Services in Water Storage



Glass Reinforced Plastic (GRP) Tank

One-piece Type

Multi-modular Type

Sectional / Panel Type

Circular Type

玻璃纖維儲水箱

單件式

多件式

組合式

圓柱式



BS 6920
Approval No.
9711511



Association of
Tank and Cistern
Manufacturers



Approved by
HK Water Authority

香港水務監督辦事處(水務局)認可產品
英國皇家水質研究中心批准產品
英國水質附屬法例認可產品
英國水務學會認可產品

Yeung's Fiberglass has been at the forefront of the water storage industry since 1983, specializing in the design and construction of water storage tanks in Glass Reinforced Plastics (GRP). We are recognized as one of the market leaders in Hong Kong.

Our expanding customer base embraces many major clients including Government Authorities, Schools, Hospitals, Prison Service and the Construction Industry. From high rise flats to houses, our service remains First Class. Yeung's Fiberglass is approved by Hong Kong Water Authority, WRAS*, WBS and Institute of Plumbing, UK.




GRP Sectional Tanks are extremely rugged but light to handle, which makes it ideal for use on sites with restricted access and for shipment into the most inaccessible areas of the world using the most basic means of transport. Assembly is simple and quick, requiring only handtools and the minimum of skilled labour.

Yeung's Fiberglass does not use sub-contract labour to build our tanks. Our fully trained operatives work full time only on our behalf throughout Hong Kong, Macau and China. We are prepared to respond to our customers' demands, any changes in site requirements would be responded immediately.

*Water Regulations Advisory Scheme (WRAS) is the UK authority that regulates materials that may be used in contact with potable / drinking water

楊氏玻璃纖維自1983年起提供玻璃纖維儲水箱設計、生產及安裝工程，於市場上一直處於領導地位。本公司自1986年便成為香港政府認可公共工程物料供應商及專門承造商名冊(供應商及專門承造商名冊)。

本公司產品之客戶十分廣泛，其中包括政府部門、學校、醫院、大小型基建及工程。而玻璃纖維儲水箱亦成為香港水務監督辦事處(水務局)、英國皇家水質研究中心*、英國水質附屬法例委員會及英國水務學會認可產品。



Independent Market Report states Yeung's Fiberglass On Site Service is "SECOND TO NONE"

本公司所生產之單件式、多件式及組合式水箱不但耐用輕巧，而且易於運送，最適合應用於地方有所限制之泵房或天台。技術人員只需利用輕便工具及於極短時間內進行安裝。

楊氏玻璃纖維一向著重質優及以客為先的精神，於安裝玻璃纖維儲水箱時絕不外判工程，全部技術人員均擁有十五年以上之生產及安裝經驗，給予百份百信心保證。



The GRP Tank Specialists
玻璃纖維儲水箱專業伙伴

*英國皇家水質研究中心(WRAS)是英國政府法定組織，專門研究及批核所有接觸飲用水及食水之容器。

客戶服務熱線

8222 8882



Mission Statement 使命宣言

YEUNG'S Fiberglass aims to manufacture goods that excel our customer specifications and deliver them on time . Since we began in 1983, we have done our best to live up to this ideal by continuous improvement .

Our mission is to utilize our expertise in composites products to provide the absolute best value as measured by quality, cost, delivery, time and innovation.

楊氏玻璃纖維公司從 1983年起立志提供及製造最優質玻璃纖維產品。

我們的使命是運用我們在複合產品上的專門技術和知識，提供絕對最佳價值、質量、費用、交付時間和創新意念給予我們專貴的客戶。

Value 企業精神

To put our Customers at the First Place
To strength our business through development and research
To enhance productivity by upgrading system and process
To provide more innovative ideas to the final user

以客為首

以人為本

注重科研

著重創新

Contractor Name	Category/Category in which Specialist Contractor is included
Wing Engineering Co. Ltd.	Electrical Installations (Group I)
Wai King Engineering Ltd.	Fire Services Installations (Group II)
	Air-conditioning and Refrigeration Installations (Group II)
	Industrial Type Electrical Installations - On production
Wai Kee Engineering Ltd.	Supply and Installation of Audio Electronic Equipment - On production
Wong Fu & Co., Ltd.	Specialized Operations for Highway Structures (Class II)
	Supply and Installation of Expansion Joints for Highway Structures
	For 'On-site' expansion joints manufactured by Structural Acrylics Inc. P.O. Box 1200, 504 Main Street, N.W. Loser, NC 28644, U.S.A. And for 'Shrinka' Stop Seal Expansion Joints & Dolomite Elastomeric Concrete
Woo Hup Lee Electrical Co. Ltd.	Electrical Installations (Group II)
Woon Lee Construction Co. Ltd.	Turn-key Interior Design and Fitting-out Works (Group II)
Wormold Engineering Services Ltd.	Fire Services Installations (Group II)
Wu HIR & Associates Ltd.	Land, Engineering and Hydrographic Survey Services
Wylm's Services Ltd.	Fire Services Installations (Group II)
Yan Lee Construction Co. Ltd.	Repair and Restoration of Historic Buildings
Yau Bong Electrical & Contractor Ltd.	Electrical Installations (Group II)
Yau Lee Construction Co. Ltd.	Land Filling (Group II)
	Hand-dig section
Yau Luen Metal Works Ltd.	Turn-key Interior Design and Fitting-out Works (Group II)
Yau Sang Engineering Co.	Structural Steelwork
Yau Sang Galvanizers (Hot-Dip) Co. Ltd.	Liquidated Petroleum Gas Installations
Yau Wing Co., Ltd.	Specialized Operations for Highway Structures (Class II)
	Preformed Concrete Works for Highway Structures (Class II)
	Preformed Concrete Works for Highway Structures (Class II)
Yee Sin Garden Ltd.	Landscaping (Class II) (Group II)
Yeung's Fiberglass Co.	Supply and Installation of Glass (or Fibre) Reinforced Plastic Units
Yee Sang Hong Ltd.	Removal/Reignition Installations
Yick Hong Construction	Landfill Prevention/Removal Works to Slopes/Retaining Walls - On production
Yip Tong Kee Co. Ltd.	Air-conditioning and Refrigeration Installations (Group II) - On production

Yeung's Fiberglass Co. Supply and Installation of Glass (or Fibre) Reinforced Plastic Units


自1986年起，楊氏玻璃纖維公司成為香港政府指定專業供應及承辦商



International Recognized Laboratory Test
to Tank Materials

(Copies are available on request)

英國及香港國際公認測試中心
對儲水箱之力量及水質測試
(副本可來電查詢)



Design Criteria 設計概念

Tank System Comparison Chart

水箱系統物料比較

Description 項目	Water Quality 水質控制	Water Tightness 防漏控制	Resistance to Corrosion 防銹監控	Ease of Installation 安裝方便程度	Flexibility for change 裝拆容易程度	Ease of Maintenance 維修程度	Ease of Insulation 隔熱功能
YEUNG'S FIBERGLASS GRP TANK 楊氏玻璃纖維儲水箱	★★★★	★★★★	★★★	★★★★	★★★★	★★★★	★★★★
Concrete Tank 石屎儲水箱	★	★★	★★	★	★	★	★★★★
Steel Tank 鐵制組合式儲水箱	★★	★★★★	★★	★	★	★	★
Aluminum Tank 鋁制組合式儲水箱	★★	★★★	★★	★★	★★	★	★

★★★★ Excellent (極好) ★★★ Good (好) ★★ Acceptable (可接受) ★ Poor (不能接受)

International Recognized Standards

國際標準

所有儲水箱乃根據以下國際標準生產及安裝

International Standards	國際標準
BS 3496 Part 1 to 3	英國國家標準 3496 號 第1及第3部份
BS 3479	英國國家標準 3479 號
BS 3691	英國國家標準 3691 號
BS 3749	英國國家標準 3749 號
BS 4994	英國國家標準 4994 號
BS 5422	英國國家標準 5422 號
BS 6399 Part 1	英國國家標準 6399 號 第1部份
BS 6920	英國國家標準 6920 號
BS 7491 Part 1, 2 and 3	英國國家標準 7491 號 第1、第2及第3部份
BS EN 13280 : 2001	英國國家及歐盟標準 13280 號
SS 245	新加坡國家標準 245 號
PNAP 222	香港特別行政區認可人士備忘 222 號



Mechanical Properties

力學數據

MECHANICAL DATA

Tensile Strength	171 Mpa
Elongation	1.8%
Tensile Modulus	12600 N/mm ²
Compressive Strength	102 N/mm ²
Flexural Strength	250 N/mm ²
Flexural Modulus	12810 N/mm ²
Interlaminar Shear Strength	18.5 N/mm ²
Dielectric Strength	18 kN/mm
Specific Gravity	1.5-1.7
Thermal Expansion Factor	13 x 10 ⁻⁶ mm/mm°C
Water Absorption	0.1% + 0.3% x 24 hours (ISO R62)
Operating Temperature	- 100°C to +180°C





單件式儲水箱

One-Piece Type GRP Tank

ONE PIECE TANK

Yeung's fiberglass has been at the forefront of water storage industry since 1983, specializing in the design and construction of water storage tanks in Glass Reinforced Plastics (GRP). Structural calculation with Registered Professional Engineer (RPE) Endorsement will be provided on request.

楊氏玻璃纖維公司自從1983年開始設計及製造單件式儲水箱，其耐用程度深受各用家讚賞，本公司可提供有關力學測試數據並由香港政府註冊專業工程師加簽。



客戶服務熱線
8222 8882

單件式儲水箱

One-Piece Type GRP Tank

Standard Tank List

尺寸表

單件式水箱 尺寸表					
Series 系列	Model No. 型號	L x B x H (m) Int (長x闊x高) 內計	Nominal Cap. (L) 名義 容量(升)	Effective Cap. (L) 實際 容量(升)	Approx. Net Weight (kg) 淨重量(公斤)
Volume 容量	Rectangular 長方體	YA - 01	0.5 x 0.5 x 0.4	100	70
		YA - 02	0.6 x 0.6 x 0.5	200	140
		YA - 03	0.7 x 0.7 x 0.65	300	210
		YA - 04	0.7 x 0.7 x 0.8	400	280
		YA - 05	0.5 x 1 x 1	500	350
		YA - 06	0.5 x 1 x 1.2	600	420
		YA - 07	0.5 x 1 x 1.5	750	525
		YA - 08	0.5 x 1 x 1.7	850	600
		YA - 09	0.5 x 1 x 2	1000	700
		YA - 10	1 x 1.5 x 1	1500	1050
		YA - 11	1.5 x 1.5 x 0.9	2000	1400
		YA - 12	1.0 x 1.5 x 2.0	2500	1750
		YA - 13	5 x 3	3000	2100
		YA - 14	1.5 x 1.5 x 2.0	4500	3150
		YA - 15	2.0 x 1.5 x 2.0	6000	4200
		YA - 16	2.0 x 2.0 x 2.0	8000	5600
	Square 正方體	SA - 01	0.5 x 0.5 x 0.5	125	100
		SA - 02	0.6 x 0.6 x 0.6	215	150
		SA - 03	0.7 x 0.7 x 0.7	340	240
		SA - 04	0.8 x 0.8 x 0.8	500	350
		SA - 05	1 x 1 x 1	1000	700
		SA - 06	1.2 x 1.2 x 1.2	1700	1200
		SA - 07	1.5 x 1.5 x 1.5	3375	2350
		SA - 08	1.8 x 1.8 x 1.8	5800	4000
		SA - 09	2 x 2 x 2	8000	5600
		SA - 10	2.5 x 2.5 x 2.5	15600	11000
	Cylinder 圓柱體	CA1 - M	0.5 $\emptyset$ x 0.5	95	66.5
		CA2 - M	0.5 $\emptyset$ x 1	195	135
		CA3 - M	0.5 $\emptyset$ x 2	390	275
		CA4 - M	1.0 $\emptyset$ x 0.5	390	275
		CA5 - M	1.0 $\emptyset$ x 1.0	785	550
		CA6 - M	1.0 $\emptyset$ x 1.5	1150	800
		CA7 - M	1.5 $\emptyset$ x 0.5	880	615
		CA8 - M	1.5 $\emptyset$ x 1.0	1760	1200
		CA9 - M	1.5 $\emptyset$ x 1.5	2650	1800


客人可根據實際需要或地盤環境提供尺寸訂做
 Sizes of GRP Water Tank can be custom-made
 to special requirements or site conditions

客戶服務熱線

8222 8882

多件式儲水箱

Multi-Modular Type GRP Tank



Introduction

Yeung's fiberglass multi-modular tanks are ideal for installations where access is restricted. They are designed for cost effective self assembly. They are moulded to the same highest standard as one-piece tanks and are approved by the Hong Kong Water Authority and by the WRC(UK) for the storage of potable water.

Covers

They are moulded as an integral feature for all sizes with optional vents and access hatched.

Supports

Tanks must be mounted on a flat level platform supporting the whole of the base.

簡介


楊氏玻璃纖維多件式儲水箱最適合安裝地方有限之項目使用。安裝及清拆皆合乎經濟原則。所有玻璃纖維儲水箱亦成為香港水務監督辦事處（水務局）、英國皇家水質研究中心、英國水質附屬法例委員會及英國水務學會認可產品。

蓋面

所有玻璃纖維儲水箱均附上高質蓋面及鎖牌一個。

支撐

所有玻璃纖維儲水箱必須放於平面基台或鐵架上



Principal details of a cistern storing water
儲水箱安裝完成圖(參考圖)


組合式儲水箱

Sectional / Panel Type GRP Tank


The Yeung's Fiberglass sectional tank system consists of a number of different panel profiles, which are specially designed for the various duties. Side Panels, available 1.0m and 0.5m deep or other custom-made dimensions. All internal components are of stainless steel construction. Internal support rod and brackets are of high quality fiberglass or stainless steel. Yeung's sectional tanks are designed to facilitate easy connection of pipework. Best results are achieved when provision is made at the factory prior to dispatch. Tanks can be supplied in pre-insulated form. A comprehensive range of tank fittings are available as optional items.

楊氏玻璃纖維分件式儲水箱全部由高級耐用玻璃纖維平板組件安裝而成，其尺寸分別為500毫米、1000毫米或根據客戶現場尺寸所制定。所有內外配件均採用耐用不銹鋼螺絲及鋼材，而內部結構拉力條均採用高質不銹鋼或玻璃纖維製成。所有儲水箱均方便接駁喉管及可按照客人要求內加隔熱層。楊氏玻璃纖維另可代客人供應配件及內外梯。


OPTION 1.
FLAT BASE - INTERNALLY BOLTED BASE PANELS
on a flat concrete foundation.




OPTION 2.
HALF-SPAN BASE - INTERNALLY BOLTED BASE PANELS.
@ 500mm centres




OPTION 3.
FULL-SPAN BASE - INTERNALLY BOLTED BASE PANELS.
@ 1000mm centres



Standard Sectional Tank Minimum Clearances



Side/End Elevation



Plan

安裝玻璃纖維儲水箱與牆身最少距離

玻璃纖維儲水箱基本支撐結構選擇



客戶服務熱線


8222 8882

YEUNG'S fiberglass
楊氏玻璃纖維 est. 1983




The GRP Tank Specialists

玻璃纖維儲水箱專業伙伴



- ❑ Produced to British Standard BS EN 13280:2001 where required
- ❑ Approved by the Hong Kong Water Authority and Water Research Centre, UK for storage of potable water
- ❑ All panels jig-drilled for ease of assembly
- ❑ Heavy-duty panel covers bolted and sealed to UK Water Bylaw 30 and WRAS
- ❑ Free off-site hole opening, if required
- ❑ External stiffening where required, galvanized for rust protection
- ❑ Technical staff available for site measurements and advice
- ❑ Technical drawings provided for both tank and supports
- ❑ Smooth internal surface avoids bacterial growth
- ❑ Full tank erection and site inspection by trained staff



- 嚴格根據英國國家歐盟標準BS EN 13280:2001 制造
- 香港水務處及英國皇家水質研究中心認可產品
- 所有儲水箱送貨時螺絲位已鑽好螺絲孔
- 耐用頂板及香港水務處及英國皇家水質研究中心認可
- 有需要時可於廠房免費開孔
- 技術人員會於安裝地點視察、量度尺寸及提供專業意見
- 本公司可提供圖則設計、結構計算及測量
- 為防止細菌及青苔滋生影響衛生及健康，所有儲水箱均是內滑
- 技術人員可提供安裝及地盤視察報告



Litres 公升					
	    				
組合式水箱 尺寸表					
L x B (長x闊)	1.0m D (高)	1.5m D (高)	2.0m D (高)	2.5m D (高)	3.0m D (高)
1 x 1	1000	1500	2000	2500	3000
2 x 1	2000	3000	4000	5000	6000
3 x 1	3000	4500	6000	7500	9000
4 x 1	4000	6000	8000	10000	12000
5 x 1	5000	7500	10000	12500	15000
2 x 2	4000	6000	8000	10000	12000
3 x 2	6000	9000	12000	15000	18000
4 x 2	8000	12000	16000	20000	23000
5 x 2	10000	15000	20000	25000	30000
6 x 2	12000	18000	24000	30000	36000
3 x 3	9000	13500	18000	22500	27000
4 x 3	12000	18000	24000	30000	36000
5 x 3	15000	22500	30000	37500	45000
6 x 3	18000	27000	36000	45000	54000
4 x 4	16000	24000	32000	40000	48000
5 x 4	20000	30000	40000	50000	60000
6 x 4	24000	36000	48000	60000	72000
7 x 4	28000	42000	56000	70000	84000
8 x 4	32000	48000	64000	80000	96000
5 x 5	25000	37500	50000	62500	75000
6 x 5	30000	45000	60000	75000	90000
7 x 5	35000	52500	70000	87500	105000
8 x 5	40000	60000	80000	100000	120000
6 x 6	36000	54000	72000	90000	108000
7 x 6	42000	63000	84000	105000	126000
8 x 6	48000	72000	96000	120000	144000
9 x 6	54000	81000	108000	135000	162000
10 x 6	60000	90000	120000	150000	180000
7 x 7	49000	73500	98000	122500	147000
8 x 7	56000	84000	112000	140000	168000
9 x 7	63000	94500	126000	157500	189000
10 x 7	70000	105000	140000	175000	210000
8 x 8	64000	96000	128000	160000	192000
9 x 8	72000	108000	144000	180000	216000
10 x 8	80000	120000	160000	200000	240000
9 x 9	81000	121500	162000	202500	243000
10 x 9	90000	135000	180000	225000	270000
10 x 10	100000	150000	200000	250000	300000



Tank Capacities in litres

To convert to galloons divide by 4.546


註：單位轉換公升 / 4.546 ≈ 加侖

Remarks :

1. For capacities of tank sizes shown use the following formula : Capacity in litres= L x B x H x 1000
2. All capacities are nominal, no allowance being made for freeboard.
3. To maximize the capacity from a tank, a ball-valve can be used to raise the invert of the inlet above the top of the tank.

Over **30** years
Services in
Water Storage

Water Storage
Technology
先進儲水技術



You are in safe hands with Yeung's Fiberglass
The GRP Tank Specialists

DORATANK™

GRP Water Tank

ISO 9001:2008 CERTIFIED
國際品質管理體系標準認可

組合式儲水箱 型號及名義容量表

GRP Sectional / Panel Type Tank
Model Number and Nominal Capacity Table

組合式儲水箱

Sectional / Panel Type GRP Tank

客戶服務熱線

8222 8882

DORATANK™
GRP Tank

YEUNG'S fiberglass The GRP Tank Specialists
 楊氏玻璃纖維 1982 玻璃纖維儲水箱專業伙伴

Nominal Capacity (Unit - m³)

名義容量 (單位：立方米)

L x H (mm) 長 x 闊	1000mmH	1500mmH	2000mmH	2500mmH	3000mmH	3500mmH	4000mmH
1000 x 1000	1.00	1.50	2.00	2.50	3.00	3.50	4.00
2000 x 1000	2.00	3.00	4.00	5.00	6.00	7.00	8.00
3000 x 1000	3.00	4.50	6.00	7.50	9.00	10.50	12.00
4000 x 1000	4.00	6.00	8.00	10.00	12.00	14.00	16.00
5000 x 1000	5.00	7.50	10.00	12.50	15.00	17.50	20.00
6000 x 1000	6.00	9.00	12.00	15.00	18.00	21.00	24.00
7000 x 1000	7.00	10.50	14.00	17.50	21.00	24.50	28.00
8000 x 1000	8.00	12.00	16.00	20.00	24.00	28.00	32.00
2000 x 2000	4.00	6.00	8.00	10.00	12.00	14.00	16.00
3000 x 2000	6.00	9.00	12.00	15.00	18.00	21.00	24.00
4000 x 2000	8.00	12.00	16.00	20.00	24.00	28.00	32.00
5000 x 2000	10.00	15.00	20.00	25.00	30.00	35.00	40.00
6000 x 2000	12.00	18.00	24.00	30.00	36.00	42.00	48.00
7000 x 2000	14.00	21.00	28.00	35.00	42.00	49.00	56.00
8000 x 2000	16.00	24.00	32.00	40.00	48.00	56.00	64.00
3000 x 3000	9.00	13.50	18.00	22.50	27.00	31.50	36.00
4000 x 3000	12.00	18.00	24.00	30.00	36.00	42.00	48.00
5000 x 3000	15.00	22.50	30.00	37.50	45.00	52.50	60.00
6000 x 3000	18.00	27.00	36.00	45.00	54.00	63.00	72.00
7000 x 3000	21.00	31.50	42.00	52.50	63.00	73.50	84.00
8000 x 3000	24.00	36.00	48.00	60.00	72.00	84.00	96.00
4000 x 4000	16.00	24.00	32.00	40.00	48.00	56.00	64.00
4000 x 5000	20.00	30.00	40.00	50.00	60.00	70.00	80.00
4000 x 6000	24.00	36.00	48.00	60.00	72.00	84.00	96.00
4000 x 7000	28.00	42.00	56.00	70.00	84.00	98.00	112.00
4000 x 8000	32.00	48.00	64.00	80.00	96.00	112.00	128.00
5000 x 5000	25.00	37.50	50.00	62.50	75.00	87.50	100.00
5000 x 6000	30.00	45.00	60.00	75.00	90.00	105.00	120.00
5000 x 7000	35.00	52.50	70.00	87.50	105.00	122.50	140.00
5000 x 8000	40.00	60.00	80.00	100.00	120.00	140.00	160.00
6000 x 6000	36.00	54.00	72.00	90.00	108.00	126.00	144.00
6000 x 7000	42.00	63.00	84.00	105.00	126.00	147.00	168.00
6000 x 8000	48.00	72.00	96.00	120.00	144.00	168.00	192.00
7000 x 7000	49.00	73.50	98.00	122.50	147.00	171.50	196.00
7000 x 8000	56.00	84.00	112.00	140.00	168.00	196.00	224.00
8000 x 8000	64.00	96.00	128.00	160.00	192.00	224.00	256.00
8000 x 9000	72.00	108.00	144.00	180.00	216.00	252.00	288.00
9000 x 9000	81.00	121.50	162.00	202.50	243.00	283.50	324.00
10000 x 9000	90.00	135.00	180.00	225.00	270.00	315.00	360.00
10000 x 10000	100.00	150.00	200.00	250.00	300.00	350.00	400.00

Nominal Capacity (Unit - m³) 名義容量 (單位：立方米)

組合式儲水箱

Sectional / Panel Type GRP Tank

客戶服務熱線

8222 8882

DORATANK™
GRP Tank

Model Numbers

型號表

L x H (mm)
長 x 闊

1000mmH

1500mmH

2000mmH

2500mmH

3000mmH

3500mmH

4000mmH

1000 x 1000	L0101H10	L0101H15	L0101H20	L0101H25	L0101H30	L0101H35	L0101H40
2000 x 1000	L0201H10	L0201H15	L0201H20	L0201H25	L0201H30	L0201H35	L0201H40
3000 x 1000	L0301H10	L0301H15	L0301H20	L0301H25	L0301H30	L0301H35	L0301H40
4000 x 1000	L0401H10	L0401H15	L0401H20	L0401H25	L0401H30	L0401H35	L0401H40
5000 x 1000	L0501H10	L0501H15	L0501H20	L0501H25	L0501H30	L0501H35	L0501H40
6000 x 1000	L0601H10	L0601H15	L0601H20	L0601H25	L0601H30	L0601H35	L0601H40
7000 x 1000	L0701H10	L0701H15	L0701H20	L0801H25	L0701H30	L0701H35	L0701H40
8000 x 1000	L0801H10	L0801H15	L0801H20	L0801H25	L0801H30	L0801H35	L0801H40
2000 x 2000	L0202H10	L0202H15	L0202H20	L0202H25	L0202H30	L0202H35	L0202H40
3000 x 2000	L0302H10	L0302H15	L0302H20	L0302H25	L0302H30	L0302H35	L0302H40
4000 x 2000	L0402H10	L0402H15	L0402H20	L0402H25	L0402H30	L0402H35	L0402H40
5000 x 2000	L0502H10	L0502H15	L0502H20	L0502H25	L0502H30	L0502H35	L0502H40
6000 x 2000	L0602H10	L0602H15	L0602H20	L0602H25	L0602H30	L0602H35	L0602H40
7000 x 2000	L0702H10	L0702H15	L0702H20	L0702H25	L0702H30	L0702H35	L0702H40
8000 x 2000	L0802H10	L0802H15	L0802H20	L0802H25	L0802H30	L0802H35	L0802H40
3000 x 3000	L0303H10	L0303H15	L0303H20	L0303H25	L0303H30	L0303H35	L0303H40
4000 x 3000	L0403H10	L0403H15	L0403H20	L0403H25	L0403H30	L0403H35	L0403H40
5000 x 3000	L0503H10	L0502H15	L0503H20	L0503H25	L0503H30	L0503H35	L0503H40
6000 x 3000	L0603H10	L0603H15	L0603H20	L0603H25	L0603H30	L0603H35	L0603H40
7000 x 3000	L0603H10	L0703H15	L0703H20	L0703H25	L0703H30	L0703H35	L0703H40
8000 x 3000	L0803H10	L0803H15	L0803H20	L0803H25	L0803H30	L0803H35	L0803H40
4000 x 4000	L0404H10	L0404H15	L0404H20	L0404H25	L0404H30	L0404H35	L0404H40
4000 x 5000	L0405H10	L0405H15	L0405H20	L0405H25	L0405H30	L0405H35	L0405H40
4000 x 6000	L0406H10	L0406H15	L0406H20	L0406H25	L0406H30	L0406H35	L0406H40
4000 x 7000	L0407H10	L0407H15	L0407H20	L0407H25	L0407H30	L0407H35	L0407H40
4000 x 8000	L0408H10	L0408H15	L0408H20	L0408H25	L0408H30	L0408H35	L0408H40
5000 x 5000	L0505H10	L0505H15	L0505H20	L0505H25	L0505H30	L0505H35	L0505H40
5000 x 6000	L0506H10	L0506H15	L0506H20	L0506H25	L0506H30	L0506H35	L0506H40
5000 x 7000	L0507H10	L0507H15	L0507H20	L0507H25	L0507H30	L0507H35	L0507H40
5000 x 8000	L0508H10	L0508H15	L0508H20	L0508H25	L0508H30	L0508H35	L0508H40
6000 x 6000	L0606H10	L0606H15	L0606H20	L0606H25	L0606H30	L0606H35	L0606H40
6000 x 7000	L0607H10	L0607H15	L0607H20	L0607H25	L0607H30	L0607H35	L0607H40
6000 x 8000	L0608H10	L0608H15	L0608H20	L0608H25	L0608H30	L0608H35	L0608H40
7000 x 7000	L0707H10	L0707H15	L0707H20	L0707H25	L0707H30	L0707H35	L0707H40
7000 x 8000	L0708H10	L0708H15	L0708H20	L0708H25	L0708H30	L0708H35	L0708H40
8000 x 8000	L0808H10	L0808H15	L0808H20	L0808H25	L0808H30	L0808H35	L0808H40
8000 x 9000	L0809H10	L0809H15	L0809H20	L0809H25	L0809H30	L0809H35	L0809H40
9000 x 9000	L0909H10	L0909H15	L0909H20	L0909H25	L0909H30	L0909H35	L0909H40
10000 x 9000	L1009H10	L1009H15	L1009H20	L1009H25	L1009H30	L1009H35	L1009H40
10000 x 10000	L1010H10	L1010H15	L1010H20	L1010H25	L1010H30	L1010H35	L1010H40

Model Number Table 型號表


圓柱式水箱 Circular Tank

SERIES 2	Model	Capacity (Litres)	Diameter (mm)	Nominal Wall Height (mm)*	Approx. Weight (kg)
	PVT 5/2	5000	2000	2180	250
	PVT 7.5/2	7500	2000	2980	300
	PVT 10/2	10,000	2000	3775	350
	PVT 12.5/2	12,500	2000	4570	420
	PVT 15/2	15,000	2000	5365	480
SERIES 2.4	PVT 20/2	20,000	2000	6960	600
	PVT 10/2	10,000	2400	3000	330
	PVT 15/2	15,000	2400	4100	400
	PVT 20/2	20,000	2400	5200	570
	PVT 25/2	25,000	2400	6300	680
	PVT 30/2	30,000	2400	7400	800
SERIES 3	PVT 20/3	20,000	3050	3540	620
	PVT 30/3	30,000	3050	4910	820
	PVT 40/3	40,000	3050	6280	1000
	PVT 50/3	50,000	3050	7650	1200
	PVT 60/3	60,000	3050	9020	1400
SERIES 3.5	PVT 30/3.5	30,000	3500	4000	850
	PVT 40/3.5	40,000	3500	5040	1050
	PVT 50/3.5	50,000	3500	6080	1200
	PVT 60/3.5	60,000	3500	7120	1400
	PVT 70/3.5	70,000	3500	8160	1600
	PVT 80/3.5	80,000	3500	9200	1800
	PVT 90/3.5	90,000	3500	10,240	2000
	PVT 100/3.5	100,000	3500	11,280	2250
SERIES 4	PVT 50/4	50,000	4111	4770	1400
	PVT 60/4	60,000	4111	5530	1600
	PVT 70/4	70,000	4111	6290	1800
	PVT 80/4	80,000	4111	7050	2000
	PVT 90/4	90,000	4111	7810	2150
	PVT 100/4	100,000	4111	8570	2350
	PVT 110/4	110,000	4111	9330	2600
	PVT 120/4	120,000	4111	10,090	2900
	PVT 130/4	130,000	4111	10,850	3100
	PVT 140/4	140,000	4111	11,610	3350
	PVT 150/4	150,000	4111	12,370	3650
	PVT 160/4	160,000	4111	13,130	3950

* Includes 600mm dish height

* Includes 680mm dish height

* Includes 770mm dish height



客戶服務熱線
8222 8882

Yeung's Fiberglass - Composites Division



玻璃纖維儲水箱 先進儲水技術



ISO 9001:2008
Certificate No: Q173
國際品質管理體系標準認可

OTHER PRODUCTS WE OFFER ARE AS FOLLOWS:

- **Sectional Storage Cisterns** 分件式儲水箱
- **One Piece Storage Cisterns** 單件式儲水箱
- **Clinical Waste Units** 化學廢料箱
- **Mobile Storage Units and Safe Stores** 移動儲物箱
- **Fuel Oil Separators** 燃油油分離器
- **Storm water Balancing Tanks** 雨水平衡缸
- **Pressure Vessels** 壓力缸
- **Sewage Treatment Plants** 污水處理缸
- **Septic / Primary Settlement Tanks** 化糞池沉澱缸
- **Grease Traps** 隔油分離缸
- **Agricultural Products** 農業用途用品
- **Chemical Storage** 化學儲存
- **One-off GRP Fabrications** 其他玻璃纖維用品



(852) 2893 8865
Fax: (852) 2893 6321
info@fiberglass.com.hk
www.fiberglass.com.hk



Associate Website :
www.dura.hk

YEUNG'S

fiberglass



楊氏玻璃纖維 est. 1983

▶ ▶ ▶ www.fiberglass.com.hk

Yeung's Fiberglass Company
Government Approved Specialist Contractor

Unit F, 23/FL, CNT Tower
338 Hennessy Road
Wanchai, Hong Kong
Tel: (852) 2893 8865
Fax: (852) 2893 6321
E-mail: yeungs@fiberglass.com.hk
Web: www.fiberglass.com.hk

楊氏玻璃纖維公司

香港灣仔軒尼詩道338號
北海中心 23 樓 F 室
電話: (852) 2893 8865
傳真: (852) 2893 6321
電郵: yeungs@fiberglass.com.hk
國際網絡: http://www.fiberglass.com.hk

Disclaimer :

Yeung's Fiberglass believes that the information contained in this brochure is accurate and is printed for information only. No warranties, express or implied, are contained therein, nor does any legal liability attach to Yeung's Fiberglass for any reason whatsoever.

Version June 2015

